

INDEX*†

RUBBER CHEMISTRY AND TECHNOLOGY

VOLUME 64, 1991

AUTHOR INDEX

- Abdou-Sabet, Sabet** and Patel, Raman P., Morphology of elastomeric alloys (5) 769
- Abell, W. R.**, Stuart, R. E., and Myrick, R. E., Blow-molding of melt-processible rubber (abs-F90#57) (1) 127
- Adam, G.**, Sebenik, A., Osredkar, U., Ranogajec, F., and Veksli, Z., The possibility of using grafted waste rubber (2) 133
- Agrawal, P. D.**, Buchheim, W. J., and Kerkimis, A. N., Elastomeric alloys in rubber rollers (abs-F90#58) (1) 127
- Akimoto, H.**, see Sone, Kazuhiro (abs-S91#57) (4) 676
- Ayala, J. A.**, Hess, W. M., Kistler, F. D., and Joyce, G. A., Carbon-black-elastomer interaction (1) 19
- Ban, L. L.** and Campo, K. S., Determining the polymer domain structure of thermoplastic elastomer blends by microscopy techniques (abs-F90#41) (1) 126
- Bandel, P.** and Di Bernardo, C., A laboratory facility for the study of rubber traction and wear (abs-S91#70) (4) 678
- Batch, Gibson L.**, Macosko, Christopher W., and Kemp, Daniel N., Reaction kinetics and injection molding of liquid silicone rubber (2) 218
- Bauer, R. F.** and Crossland, A. H., Blend modelling for optimum compound performance (abs-S91#53) (4) 676
- Bauer, R. F.** and Crossland, A. H., A method to resolve the properties of individual phases in carbon-black-loaded elastomer blends (2) 234
- Bayer, Gunther**, see Holm, Reiner (abs-S91#24) (4) 671
- Beardsley, Kenneth**, see Merijanian, A. V. (abs-S91#49) (4) 675
- Becker, B.**, see Engels, H. -W. (abs-S91#77) (4) 679
- Benzing, Kimberly A.**, see Waddell, Walter H. (4) 622
- Berker, A.**, see Bouldin, M. G. (4) 577
- Bhowmick, Anil K.**, see Sarkar, Amelendu (5) 696
- Boncella, J. M.**, see Wagener, K. B. (1) 83
- Bouldin, M. G.**, Collins, J. H., and Berker, A., Rheology and microstructure of polymer/asphalt blends (4) 577
- Buchheim, W. J.**, see Agrawal, P. D. (abs-F90#58) (1) 127
- Buckley, Gary S.**, see Roland, C. Michael (1) 74
- Butkus, MaryJane**, Quality management in the latex laboratory (abs-S91#61) (4) 677
- Campo, K. S.**, see Ban, L. L. (abs-F90#41) (1) 126
- Capelle, Gerd**, see Hunziker, Peter (abs-S91#88) (4) 681
- Carter, R. O. III**, see Paputa, M. C. (4) 610
- Chang, W. V.** and Sun, S. C., Nonlinear elastic analysis of the hardness test of rubberlike materials (2) 181
- Chirhart, Douglas J.**, Getting started in international business (abs-S91#37) (4) 674
- Cody, Robert J., Jr.**, see Waddell, Walter H. (4) 622
- Collins, J. H.**, see Bouldin, M. G. (4) 577
- Coran, A. Y.**, Anisotropy of ultimate properties in vulcanizates of EPDM/high-diene-rubber blends (5) 801

* The first issue of Volume 64 contains abstracts of Fall 1991 Meeting Papers not published in full in Rubber Chemistry and Technology; they are cited as (abs-F90...) followed by the paper number; the fourth issue has abstracts from the Spring 1991 meeting, cited as (abs-S91...). Complete copies of these papers may be obtained from Mrs. Ruth Murray, Rubber Division Library, The University of Akron, Akron, OH 44325-3907.

† Prepared by Lois W. Brock

INDEX*†

RUBBER CHEMISTRY AND TECHNOLOGY

VOLUME 64, 1991

AUTHOR INDEX

- Abdou-Sabet, Sabet** and Patel, Raman P., Morphology of elastomeric alloys (5) 769
- Abell, W. R.**, Stuart, R. E., and Myrick, R. E., Blow-molding of melt-processible rubber (abs-F90#57) (1) 127
- Adam, G.**, Sebenik, A., Osredkar, U., Ranogajec, F., and Veksli, Z., The possibility of using grafted waste rubber (2) 133
- Agrawal, P. D.**, Buchheim, W. J., and Kerkimis, A. N., Elastomeric alloys in rubber rollers (abs-F90#58) (1) 127
- Akimoto, H.**, see Sone, Kazuhiro (abs-S91#57) (4) 676
- Ayala, J. A.**, Hess, W. M., Kistler, F. D., and Joyce, G. A., Carbon-black-elastomer interaction (1) 19
- Ban, L. L.** and Campo, K. S., Determining the polymer domain structure of thermoplastic elastomer blends by microscopy techniques (abs-F90#41) (1) 126
- Bandel, P.** and Di Bernardo, C., A laboratory facility for the study of rubber traction and wear (abs-S91#70) (4) 678
- Batch, Gibson L.**, Macosko, Christopher W., and Kemp, Daniel N., Reaction kinetics and injection molding of liquid silicone rubber (2) 218
- Bauer, R. F.** and Crossland, A. H., Blend modelling for optimum compound performance (abs-S91#53) (4) 676
- Bauer, R. F.** and Crossland, A. H., A method to resolve the properties of individual phases in carbon-black-loaded elastomer blends (2) 234
- Bayer, Gunther**, see Holm, Reiner (abs-S91#24) (4) 671
- Beardsley, Kenneth**, see Merijanian, A. V. (abs-S91#49) (4) 675
- Becker, B.**, see Engels, H. -W. (abs-S91#77) (4) 679
- Benzing, Kimberly A.**, see Waddell, Walter H. (4) 622
- Berker, A.**, see Bouldin, M. G. (4) 577
- Bhowmick, Anil K.**, see Sarkar, Amelendu (5) 696
- Boncella, J. M.**, see Wagener, K. B. (1) 83
- Bouldin, M. G.**, Collins, J. H., and Berker, A., Rheology and microstructure of polymer/asphalt blends (4) 577
- Buchheim, W. J.**, see Agrawal, P. D. (abs-F90#58) (1) 127
- Buckley, Gary S.**, see Roland, C. Michael (1) 74
- Butkus, MaryJane**, Quality management in the latex laboratory (abs-S91#61) (4) 677
- Campo, K. S.**, see Ban, L. L. (abs-F90#41) (1) 126
- Capelle, Gerd**, see Hunziker, Peter (abs-S91#88) (4) 681
- Carter, R. O. III**, see Paputa, M. C. (4) 610
- Chang, W. V.** and Sun, S. C., Nonlinear elastic analysis of the hardness test of rubberlike materials (2) 181
- Chirhart, Douglas J.**, Getting started in international business (abs-S91#37) (4) 674
- Cody, Robert J., Jr.**, see Waddell, Walter H. (4) 622
- Collins, J. H.**, see Bouldin, M. G. (4) 577
- Coran, A. Y.**, Anisotropy of ultimate properties in vulcanizates of EPDM/high-diene-rubber blends (5) 801

* The first issue of Volume 64 contains abstracts of Fall 1991 Meeting Papers not published in full in Rubber Chemistry and Technology; they are cited as (abs-F90...) followed by the paper number; the fourth issue has abstracts from the Spring 1991 meeting, cited as (abs-S91...). Complete copies of these papers may be obtained from Mrs. Ruth Murray, Rubber Division Library, The University of Akron, Akron, OH 44325-3907.

† Prepared by Lois W. Brock

- Costin, Richard**, Nagel, Walter, and Ekwall, Raymond, New metallic coagents for curing elastomers (2) 152
- Costin, Richard**, Nagel, Walt, and Ekwall, Ray, Scorch safety for coagent-cured elastomers (abs-S91#15) (4) 669
- Cousins, W. F.**, see Gallagher, M. T. (abs-S91#89) (4) 682
- Creeden, David**, see Sanders, Daniel (abs-S91#30) (4) 672
- Crossland, A. H.**, see Bauer, R. F. (abs-S91#53) (4) 676
- Crossland, A. H.**, see Bauer, R. F. (2) 234
- Crowther, Bryan G.** and Vander Kooi, John, Improve latex compounding stability by novel potassium soaps (abs-S91#71) (4) 679
- Damani, Mirisch**, Indian subcontinent—emerging market for TPEs (abs-F90#81) (1) 132
- Davis, Gregg**, see Sanders, Daniel (abs-S91#30) (4) 672
- de Jong, M. C.** and Winkler, E. M., Numerical prediction of the aramid-cord load in the Goodrich Block Fatigue Test (5) 737
- Deng, J. S.** and Isayev, A. I., Injection molding of rubber compounds: experimentation and simulation (2) 296
- Di Bernardo, C.**, see Bandel, P. (abs-S91#70) (4) 678
- Dierig, D. A.**, Thompson, A. E., and Ray, D. T., Effect of field storage on guayule rubber quantity and quality (2) 211
- DiMauro, Patrick D.**, Testing of special compounds on the MDR2000 Rheometer (abs-S91#28) (4) 672
- Donnett, Jean-Baptiste**, see Wang, Meng-Jiao (5) 714
- Drake, Ronald E.**, Labriola, John M., and Sessions, Horace, Jr., Using polybutadiene-derived resins for improved elastomer bonding (abs-F90#55) (1) 127
- Drake, Ronald E.** and Labriola, John M., Adhesion promotion using maleated liquid polybutadiene resins in rubber compounds (abs-S91#48) (4) 675
- Dunn, J. R.** and Jones, R. H., Trends and needs in automobile and truck tires (abs-F90#6) (1) 120
- Duschl, E. J.** and Goritz, D., Network topology and nonaffine deformation in unfilled natural rubbers (abs-S91#1) (4) 668
- Dutta, Debashis**, see Sarkar, Amelendu (5) 696
- Duttweiler, R. P.**, see Wagener, K. B. (1) 83
- Eisele, U.**, see Mezger, M. (abs-F90#64) (1) 129
- Eisele, U. -W.**, see Engels, H. -W. (abs-S91#77) (4) 679
- Ekwall, Ray**, see Costin, Richard (abs-S91#15) (4) 669
- Ekwall, Raymond**, see Costin, Richard (2) 152
- Emrich, Ronald J.**, see Gianelos, James (abs-S91#23) (4) 670
- Engels, H. -W.**, Eisele, U., Stollfuss, B., and Becker, B., Correlations of vulcanizate properties and network structure (abs-S91#77) (4) 679
- Evans, Larry R.**, see Waddell, Walter H. (4) 622
- Extrand, C. W.**, Gent, A. N., and Kaang, S. Y., Friction of a rubber wedge sliding on glass (1) 108
- Fah, Lai Pin**, Studies on the viscosity of latex mixes using a full two-level factorial design (abs-S91#74) (4) 679
- Fernández, D. Roig** and Marzocca, A. J., Analysis of resistivity in a rubber compound (4) 501
- Fernández-García, J. C.**, see Martín-Martínez, J. M. (4) 510
- Fesus, Ed**, McGrath, Sam, and Stark, Fred, Particulate rubber as a compounding tool (abs-S91#90) (4) 682
- Feuer, Henry O., Jr.** and Touchet, Paul, Effects of extracting hydrolytic stabilizers on urethane performance (abs-F90#46) (1) 126
- Fielding-Russell, G. S.**, see Pillai, P. S. (4) 641
- Flowers, D. D.**, Fusco, J. V., Gursky, L. J., and Young, D. G., New tire-black-sidewall composition (abs-S91#81) (4) 680
- Fowler, P. R.**, see Gallagher, M. T. (abs-S91#89) (4) 682
- Francis, A. E.**, see Wong, H. H. (abs-F90#1) (1) 118
- Francis, A. E.**, see Wong, H. H. (abs-F90#2) (1) 118
- Fukumori, Kenzo**, Sato, Norio, and Kurauchi, Toshio, Pulsed NMR study of motional heterogeneity in acrylonitrile-butadiene/poly(vinyl chloride) resins (4) 522
- Fusco, J. V.** and Young, D. G., Isobutylene-based polymers in tires—Status and future trends (abs-F90#8) (1) 120
- Fusco, J. V.**, see Flowers, D. D. (abs-S91#81) (4) 680
- Futamura, Shingo**, Deformation index—Concept for hysteretic energy-loss process (1) 57

- Gage, Paul D., TPE blown film processing and properties (abs-F90#56) (1) 127
- Gallagher, M. T., Cousins, W. F., Fowler, P. R., and Tankink, B., Particulate and powdered rubbers in alloys, mechanical goods, and adhesives. A study of applications (abs-S91#89) (4) 682
- Gent, A. N. and Kim, W., Bulging of rubber through apertures (5) 813
- Gent, A. N. and Mifune, N., Effect of surface cracks on torsional damping (4) 661
- Gent, A. N., see Extrand, C. W. (1) 108
- Gent, A. N., Liu, Ginger L., and Sueyasu, T., Effect of temperature and oxygen on the strength of elastomers (1) 96
- Gerling, John E. and Young, Monroe, A new concept in microwave vulcanizing systems for sponge rubber products (abs-F90#3) (1) 119
- Gerspacher, Michel, O'Farrell, Charles P., and Yang, Henry H., Role of carbon black in rubber compounds (abs-F90#25) (1) 122
- Gervase, Nicholas J., see Warren, Patrick A. (abs-F90#31) (1) 123
- Gianelos, James and Emrick, Ronald J., Avoiding ESCA measurement errors in compounded rubbers and plastics containing mobile components (abs-S91#23) (4) 670
- Goritz, D., see Duschl, E. J. (abs-S91#1) (4) 668
- Greenawald, E. C., see Nagode, James B. (abs-F90#69) (1) 130
- Grimes, D. G. and Katsaros, J. D., Tailored flexible nylon alloys (abs-F90#23) (1) 122
- Guo, Shao-Hua, see Quirk, Roderic P. (4) 648
- Gursky, L. J., see Flowers, D. D. (abs-S91#81) (4) 680
- Halladay, James R., see Kohli, Tejbans S. (abs-S91#85) (4) 681
- Hamed, G. R., see Magnus, F. L. (1) 65
- Hamed, Gary R., Energy dissipation and the fracture of rubber vulcanizates (review) (3) 493
- Hamed, Gary R. and Huang, J., Combining cobalt and resorcinolic bonding agents in brass-rubber adhesion (2) 285
- Harrell, E. Ray, Porter, John P., and Nakajima, N., Analysis of the dynamic stress relaxometer test geometry and conversion of relaxing-torque data to frequency-dependent viscoelastic properties (2) 254
- Hastbacka, Mildred A., Magnesium-based filler options for flame retardance and smoke suppression (abs-F90#67) (1) 129
- Hayashi, S., Sakakida, H., Oyama, M., and Nakagawa, T., Low-temperature properties of hydrogenated nitrile rubber (HNBR) (4) 534
- Herzlich, Harold J., Tire technology and product safety—Trends into the 1990's (abs-F90#14) (1) 121
- Hess, W. M., see Swor, R. A. (abs-F90#9) (1) 121
- Hess, W. M., Characterization of dispersions (review) (3) 386
- Hillmyer, M. A., see Wagener, K. B. (1) 83
- Hiramatsu, K., see Takino, Hiroshi (abs-F90#74) (1) 130
- Hisaki, H., see Kubo, Yoichiro (1) 8
- Hjelm, Rex P., Jr., Seeger, Philip A., and Wampler, Wesley A., Microstructure of composite materials using small-angle neutron scattering and contrast variation: approaches toward understanding the structure of carbon-black-elastomer mixtures (abs-S91#5) (4) 668
- Holm, Reiner, Holtcamp, Dieter, and Bayer, Gunther, Microanalysis of flaws in rubber compounds (abs-S91#24) (4) 671
- Holtcamp, Dieter, see Holm, Reimer (abs-S91#24) (4) 671
- Hooser, E. R., see Lattimer, R. P. (5) 780
- Hosaki, Toru and Isayev, A. I., Development of temperature in rubber moldings during injection-molding cycle (abs-F90#4) (1) 119
- Hu, Xiao-Wei, see Quirk, Roderic P. (4) 648
- Huang, J., see Hamed, Gary R. (2) 285
- Huerta, F., see Martín-Martínez, J. M. (4) 510
- Huether, R. H., see Wong, H. H. (abs-S91#25) (4) 671
- Huether, R. R., see Wong, H. H. (abs-F90#2) (1) 118
- Hunziker, Peter and Capelle, Gerd, Powdered-rubber technology—An equipment concept (abs-S91#88) (4) 681
- Iijima, H., see Sawada, M. (abs-S91#66) (4) 678
- Iizumi, Shingo, Process for producing cured-rubber-synthetic-resin composite structure (abs-F90#32) (1) 123
- Isayev, A. I., see Deng, J. S. (2) 296
- Isayev, A. I., see Hosaki, Toru (abs-F90#4) (1) 119
- Ishida, Hatsuo, see Xue, Gi (2) 162, 172
- Ishida, M., see Sone, Kazuhiro (abs-S91#57) (4) 676
- Ishiguru, M., see Sone, Kazuhiro (abs-S91#57) (4) 676

- Jackson, Catheryn and McKenna, Gregory B., On the anomalous freezing and melting of solvent crystals in swollen gels of natural rubber (5) 760
- Jeram, Edward M., see Ward, Brian J. (abs-S91#50) (4) 675
- Jones, R. H., see Dunn, J. R. (abs-F90#6) (1) 120
- Kaang, S. Y., see Extrand, C. W. (1) 108
- Katsaros, J. D., see Grimes, D. G. (abs-F90#23) (1) 122
- Kawakami, S., see Udagawa, Y. (abs-F90#62) (1) 128
- Kay, P. J. and Ouhadi, T., Properties of dynamically vulcanized thermoplastic elastomers related to the nature of the dispersed rubber phase (abs-F90#35) (1) 124
- Keefe, R. L., Some mechanical aspects of Kevlar aramid adhesion to rubber (abs-F90#39) (1) 125
- Kelley, Frank N., see Vargo, Richard D. (2) 181
- Kellgren, John, Dispersion of aramid fibers in rubber (abs-S91#32) (4) 673
- Kemp, Daniel N., see Batch, Gibson L. (2) 218
- Kerkimis, A. N., see Agrawal, P. D. (abs-F90#58) (1) 127
- Killgoar, P. C., Jr., see Paputa, M. C. (4) 610
- Kim, Jungahn, see Quirk, Roderic P. (review) (3) 450
- Kim, Jungahn, see Quirk, Roderic P. (4) 648
- Kim, W., see Gent, A. N. (5) 813
- Kinsinger, James A., see Waddell, Walter H. (4) 622
- Klingsmith, William B., see Smith, Fernley G. (abs-F90#15) (1) 122
- Knight, Barry T., Near-infrared (NIR) analysis of resorcinol-formaldehyde-latex-dip add-on (abs-S91#10) (4) 669
- Koenig, J. L., see Krejsa, M. R. (1) 40, (4) 635
- Koenig, J. L. and Smith, S. R., Observation of crosslink density dispersion in sulfur-donor-vulcanized polybutadiene using NMR imaging (abs-S91#11) (4) 669
- Koenig, Jack, see Xue, Gi (2) 162, 172
- Kohli, Tejbans S. and Halladay, James R., Investigation of polybutadiene/bromobutyl blends for low-temperature shock and vibration control (abs-S91#85) (4) 681
- Komai, K., see Takino, Hiroshi (abs-F90#74) (1) 130
- Komamizu, K., see Takino, Hiroshi (abs-F90#74) (1) 130
- Konzelman, J., see Wagener, K. B. (1) 83
- Korosec, C. M., see Wong, H. H. (abs-F90#1) (1) 118, (abs-S91#25) (4) 671
- Koutny, F., A model for tire wear (5) 683
- Kramer, Hagen, Mooney viscosity measurement without mill massing (abs-F90#5) (1) 119
- Krejsa, M. R. and Koenig, J. L., NMR imaging studies of vulcanized butyl rubber (4) 635
- Krejsa, M. R. and Koenig, J. L., Solid-state carbon-13 studies of vulcanized elastomers. VIII. Accelerated sulfur-vulcanized butyl rubber at 75.5 MHz (1) 40
- Kresge, E. N., Polyolefin thermoplastic elastomer blends (review) (3) 469
- Kubo, Yochiro, Mori, O., Ohura, K., and Hisaki, H., Adhesion between hydrogenated nitrile elastomers and fibers is improved using hydrogenated acrylonitrile-butadiene latex (1) 8
- Kumbhani, K. J., Sendorek, J. J., and Tang, H., Developmental butyl rubbers—Part III: Rheological, processing, and performance characteristics of bromobutyl rubbers with broad molecular-weight distribution (abs-S91#84) (4) 681
- Kurauchi, Toshio, see Fukumori, Kenzo (4) 522
- Labriola, John M., see Drake, Ronald E. (abs-F90#55) (1) 127, (abs-S91#48) (4) 675
- Lakin, Bryan, Natural latex—Its processes and dynamics (abs-S91#59) (4) 677
- Landwehr, R. S., Winds of change (abs-S91#34) (4) 673
- Lattimer, R. P., Layer, R. W., Hooser, E. R., and Rhee, C. K., The ozonation of *N,N'*-di-*n*-octyl-*p*-phenylenediamine and *N,N'*-di-(1,1-dimethylethyl)-*p*-phenylenediamine (5) 780
- Layer, R. W., see Lattimer, R. P. (5) 780
- Legge, N. R., Review of chemical structures and physical properties of thermoplastic elastomers (abs-F90#10) (1) 121
- Leonov, A., Georgii Vladimirovich Vinogradov 1910–1988 (2) G27
- Luchini, J. R., see Stephens, D. R. (abs-F90#7) (1) 120
- Lynch, Thomas, see Quirk, Roderic P. (4) 648
- Ma, Jing-Jing, see Quirk, Roderic P. (4) 648
- Macosko, Christopher L., see Batch, Gibson L. (2) 218
- Madura, A. R., Investigation of rubber/metal bond failures by surface-analysis techniques (2) 243
- Magnus, F. L. and Hamed, G. R., Role of phenolic tackifiers in polyisoprene rubber (1) 65
- Majumdar, Swapan, see Sarkar, Amelendu (5) 696
- Makino, Kenya, Tsuda, Kazuchi, and Takaki, Mikio, Preparations of soluble TiCl_3 catalysts and their use for copolymerization of ethylene with propylene (1) 1

- Mark, James E., see Wang, Shuhong (5) 746
- Martin-Martínez, J. M., Fernández-García, J. C., Huerta, F., and Orgilés-Barceló, A. C., Effect of different surface modifications on the adhesion of vulcanized styrene-butadiene rubber (4) 510
- Marzocca, A. J., see Fernández, D. Roig (4) 51
- McAllister, John, The use of digital controls in dynamic modulus measurements (abs-S91#26) (4) 671
- McGrath, J. E., see Verma, A. (4) 61
- McGrath, Sam, see Fesus, Ed (abs-S91#90) (4) 682
- McKenna, Gregory B., see Jackson, Catheryn (5) 760
- McMahon, John M., see Waddell, Walter H. (4) 622
- McMillian, Frank L., Neoprene latexes and their applications (abs-S91#62) (4) 677
- Medalia, A. I. and Alesi, A. L., Wear of tank track pads under various conditions (abs-F90#63) (1) 129
- Medalia, Avrom I., Heat generation in elastomer compounds: Causes and effects (review) (3) 481
- Megill, Robert W. and Reader, Wayne T., Chlorosulfonated polyethylene compositions for underwater acoustics (abs-F90#68) (1) 129
- Meinecke, Eberhard, Effect of carbon-black loading and crosslink density on the heat build-up in elastomers (2) 269
- Meisenheimer, Herman, Low-smoke, noncorrosive fire retardant cable jackets based on HNBR and EVM (abs-F90#76) (1) 131
- Merijanian, A. V. and Beardsley, Kenneth, A study of the effect of variations in curative, filler, diene, and molecular weight on the mechanical properties of liquid EPDM compounds (abs-S91#49) (4) 675
- Mezger, M., Eisele, U., and Rohde, E., Performance of hydrogenated nitrile rubber (HNBR) under various dynamic stresses (abs-F90#64) (1) 129
- Micek, E. J., see Swor, R. A. (abs-F90#9) (1) 121
- Mifune, N., see Gent, A. N. (4) 661
- Mills, J. E., Survival in the global synthetic rubber market (abs-S91#35) (4) 674
- Mishra, Indu B., Studies on polymer blends. VII. PEG-PMVT (abs-F90#18) (1) 122
- Mohammed, Sheikh A. H., A new polymer system for tire innerliners (abs-S91#86) (4) 681
- Moore, Ralph, Welch, Wayne C., and Russell, David, Novel thermoplastic elastomers based on *p*-phenylene diisocyanate (abs-S91#67) (4) 678
- Morgan, R. A., Stewart, C. W., Thomas, E. W., and Stahl, W. M., Reinforcement of elastomers with fluoroplastic additives (abs-F90#75) (1) 131
- Mori, O., see Kubo, Yoichiro (1) 8
- Mowdood, Syed K., see Waddell, Walter H. (4) 622
- Mowrey, Douglas H., see Warren, Patrick A. (abs-F90#31) (1) 123
- Murphy, Lawrence, see Sanders, Daniel (abs-S91#30) (4) 672
- Myrick, R. E., see Abell, W. R. (abs-F90#57) (1) 127
- Nagel, Walt, see Costin, Richard (abs-S91#15) (4) 669
- Nagel, Walter, see Costin, Richard (2) 152
- Nakagawa, T., see Hayashi, S. (4) 534
- Nakajima, N., see Harrell, E. Ray (2) 254
- Nakamura, T., see Omura, N. (abs-F90#61) (1) 128
- Nel, J. G., see Wagener, K. B. (1) 83
- Nielsen, A., see Verma, A. (4) 61
- O'Farrell, Charles P., see Gerspacher, Michel (abs-F90#25) (1) 122
- Ohtani, H., see Yamada, T. (5) 708
- Ohua, K., see Kubo, Yoichiro (1) 8
- Okel, Timothy A. and Wagner, M. P., A high-performance precipitated silica for reinforcement of silicone rubber equivalent to fumed silica (abs-F90#28) (1) 123
- Okumoto, T., see Yamada, T. (5) 708
- Omura, N., Takahashi, M., and Nakamura, T., The fatigue properties of silicone rubber (abs-F90#61) (1) 128
- Orgilés-Barceló, A. C., see Martín-Martínez, J. M. (4) 510
- Osredkar, U., see Adam, G. (2) 133
- Ouhadi, T., see Kay, P. J. (abs-F90#35) (1) 124
- Outts, L. L., The use of aramid-fiber-pulp/neoprene masterbatch to develop unique engineering and dynamic properties in rubber (abs-F90#72) (1) 130
- Oyama, M., see Hayashi, S. (4) 534
- Padliya, D., Developmental butyl rubber—Part I: A process for producing low-molecular-weight rubber (abs-S91#82) (4) 680
- Paputa, M. C., Samus, M. A., Killgoar, P. C., Jr., and Carter, R. O. III, The examination of diffusing materials on rubber surfaces by photoacoustic infrared spectroscopy (4) 610

- Patel, R. P., see Payne, M. T. (abs-F90#34) (1) 124
- Patel, Raman P., see Abdou-Sabet, Sabet (5) 769
- Payne, M. T., Wang, D. S. T., Patel, R. P., and Sasa, M. M., The expanding technology of thermoplastic elastomers (abs-F90#34) (1) 124
- Peng, K. L., see Roland, C. M. (5) 790
- Pillai, P. S. and Fielding-Russell, G. S., Effect of aspect ratio on tire rolling resistance (4) 641
- Poranski, C. F., Jr., see Nagode, James B. (abs-F90#69) (1) 130
- Porter, John P., see Harrell, E. Ray (2) 254
- Powers, K. W., see Wang, H. -C. (abs-S91#80) (4) 680
- Price, Charles C., Edwin J. Vandenberg, Charles Goodyear Medalist—1991, Biography (3) G54
- Priest, A. M., see Stevenson, S. (4) 545
- Puts, R., see Wagener, K. B. (1) 83
- Quirk, Roderic P.; Yin, Jian; Guo, Shao-Hua; Hu, Xiao-Wei; Summers, Gabrielle J.; Kim, Jungahn; Zhu, Lin-Fang; Ma, Jing-Jing; Takizawa, Toshiki; and Lynch, Thomas, Recent advances in anionic synthesis of functionalized polymers (4) 648
- Quirk, Roderic P. and Kim, Jungahn, Recent advances in thermoplastic elastomer synthesis (review) (3) 450
- Ranogajec, F., see Adam, G. (2) 133
- Ray, D. T., see Dierig, D. A. (2) 211
- Reader, Wayne T., see McGill, Robert W. (abs-F90#68) (1) 129
- Rhee, C. K., see Lattimer, R. P. (5) 780
- Richwine, John, Overall view of the processing characteristics of TPEs (abs-F90#11) (1) 121
- Riddiford, Carl L. and Tinker, Andrew J., TPENR, a new oil-resistant thermoplastic elastomer (abs-F90#33) (1) 124
- Riffle, J. S., see Verma, A. (4) 61
- Rigby, M., The development and characterization of a water-based semipermanent mold-release agent (abs-F90#77) (1) 131
- Roberts, A. J., Competing and winning in a changing global market (abs-S91#33) (4) 673
- Rohde, E., see Mezger, M. (abs-F90#64) (1) 129
- Rohde, E. and Walter, H. F., HNBR elastomers—Influence of press-cure and postcure time and ratio on elastomer properties (abs-S91#12) (4) 669
- Roland, C. M. and Peng, K. L., Electrical conductivity in rubber double networks (5) 790
- Roland, C. Michael and Buckley, Gary S., Thermal crystallization of polytetrahydrofuran networks (1) 74
- Russell, Dave, Recent advances in urethane liquid polymers (abs-S91#51) (4) 676
- Russell, David, see Moore, Ralph (abs-S91#67) (4) 678
- Sakakida, H., see Hayashi, S. (4) 534
- Samus, M. A., see Paputa, M. C. (4) 610
- Sanders, Daniel, Murphy, Lawrence, Creeden, David, and Davis, Gregg, Carbon-black-surface-area test improvement (abs-S91#30) (4) 672
- Sarkar, Amelendu; Dutta, Debashis; Bhowmick, Anil K.; and Majumdar, Swapan, Analysis of nonlinear stress-strain relationship of large elastic deformation of rubber and studies of rubber-rubber composites (5) 696
- Sasa, M. M., see Payne, M. T. (abs-F90#34) (1) 124
- Sato, Norio, see Fukumori, Kenzo (4) 522
- Sawada, M., Iijima, H., Yoshida, H., and Watanabe, J., Properties of fluorosilicone/dimethylsilicone copolymer (abs-S91#66) (4) 678
- Sebenik, A., see Adam, G. (2) 133
- Seeger, Philip A., see Hjelm, Rex P., Jr. (abs-S91#5) (4) 668
- Seibert, Rebecca Faith, Optimization of a natural-rubber breaker compound containing specific chlorotriazines as wire-to-rubber adhesion promoters (abs-S91#91) (4) 682
- Sendorek, J. J., see Kumbhani, K. J. (abs-S91#84) (4) 681
- Sessions, Horace, Jr., see Drake, Ronald E. (abs-F90#55) (1) 127
- Sezna, John A., Correlation of results from curemeters of different designs (abs-S91#27) (4) 672
- Shanahan, Martin E. R., Adhesion and wetting—Similarities and differences (abs-F90#37) (1) 125
- Sheard, Eric A., About liquid elastomers (abs-S91#47) (4) 675
- Simms, J. A., Methacrylate star synthesis by GTP (2) 139
- Smith, S. R., see Koenig, J. L. (abs-S91#11) (4) 669
- Smith, D. W., Jr., see Wagener, K. B. (1) 83
- Smith, Fernley, G. and Klingensmith, William B., Tires as a consumer and source of recycled materials (abs-F90#15) (1) 122
- Sone, Kazuhiro, Ishiguru, M., Akimoto, H., and Ishida, M., Advantage of SBR/carbon-black masterbatch for tire tread application (abs-S91#57) (4) 676

- Spadola, I., see Van Tongerloo, A. J. (abs-S91#83) (4) 680
- Stahl, W. M., see Morgan, R. A. (abs-F90#75) (1) 131
- Stark, Fred, see Fesus, Ed (abs-S91#90) (4) 682
- Steevensz, R. S., see Van Tongerloo, A. J. (abs-S91#83) (4) 680
- Stephens, D. R. and Luchini, J. R., The design methods: From slide rules to super computers (abs-F90#7) (1) 120
- Stevenson, A. and Viridi, S. S., The nitrosamine problem—The logical approach—An update (abs-F90#78) (1) 132
- Stevenson, A. and Priest, A. M., Durability and life prediction of adhesive bonds in severe environments (4) 545
- Stewart, C. W., see Morgan, R. A. (abs-F90#75) (1) 131
- Stockdale, Michael K., TPES based on new generation NBRs (abs-F90#36) (1) 125
- Stollfuss, A., see Engels, H.-W. (abs-S91#77) (4) 679
- Struckmeyer, Horst F., Drifting of FKM vulcanizates as a function of water interaction (abs-S91#16) (4) 670
- Stuart, R. E., see Abell, W. R. (abs-F90#57) (1) 127
- Sueyasu, T., see Gent, A. N. (1) 96
- Summers, Gabriel, see Quirk, Roderic P. (4) 648
- Sun, S. C., see Chang, W. V. (2) 181
- Swor, R. A., Hess, W. M., and Micek, E. J., New high-structure tread black for compounding flexibility (abs-F90#9) (1) 121
- Takahashi, M., see Omura, N. (abs-F90#61) (1) 128
- Takaki, Mikio, see Makino, Kenya (1) 1
- Takata, Tadahiko, see Watanabe, Hirosuke (abs-F90#60) (1) 128
- Takino, Hirosaki, Komamizu, K., Hiramatsu, K., and Okazaki, T., Rubber and collagen-fiber blends for studless winter-tire applications (abs-F90#74) (1) 130
- Takizawa, Toshiki, see Quirk, Roderic P. (4) 648
- Tan, E. H., see Wong, H. H. (abs-S91#25) (4) 671
- Tanaka, Yasuyuki, Recent advances in structural characterization of elastomers (review) (3) 325
- Tang, H., see Kumbhani, K. J. (abs-S91#84) (4) 681
- Tankink, B., see Gallagher, M. T. (abs-S91#89) (4) 682
- Thomas, E. W., see Morgan, R. A. (abs-F90#75) (1) 131
- Thompson, A. E., see Dierig, D. A. (2) 211
- Tinker, Andrew J., see Riddiford, Carl L. (abs-F90#33) (1) 124
- Touchet, Paul, see Feuer, Henry O. (abs-F90#46) (1) 126
- Tsuda, Kazuichi, see Makino, Kenya (1) 1
- Tsuge, S., see Yamada, T. (5) 78
- Tultz, Joseph P., Reinforcement of silicone rubber and other specialty elastomers with precipitated silicas (abs-F90#27) (1) 122
- Udagawa, Y. and Kawakami, S., Structural changes in rubber vulcanizates caused by different types of deformation (abs-F90#62) (1) 128
- Van Tongerloo, A. J., Spadola, I., and Steevensz, R. S., Developmental butyl rubbers—Part II: The preparation of bromobutyl with broad molecular-weight distributions (abs-S91#83) (4) 680
- Vandenberg, E. J., Reflections on the past and future of polyether elastomers and on redox emulsion polymerization (3) G56
- Vander Kooi, John, see Crowther, Bryan G. (abs-S91#71) (4) 679
- Vargo, Richard D. and Kelley, Frank N., Properties of highly filled, highly plasticized, semicrystalline polymer networks (2) 181
- Vekshi, Z., see Adam, G. (2) 133
- Verma, A., Nielsen, A., McGrath, J. E., and Riffle, J. S., Synthesis of a model triblock for novel thermoplastic elastomers (4) 601
- Vieltoft, Paul E., The new global attitude (abs-S91#36) (4) 674
- Viridi, R. S., see Stevenson, A. (abs-F90#78) (1) 132
- Waddell, Walter H., Benzing, Kimberly A., Evans, Larry R., Mowdood, Syed K., Weil, David A., McMahon, John M., Cody, Robert H., Jr., and Kinsinger, James A., Laser mass spectral investigations of rubber compound surface species (4) 622
- Wagener, K. B., Nel, J. G., Duttweiler, R. P., Hillmyer, M. A., Boncella, J. M., Konzelman, J., Smith, D. W., Jr., Puts, R., and Willoughby, L., Metathesis polycondensation chemistry as a route to unsaturated elastomers (1) 83
- Wagner, M. F., see Okel, Timothy A. (abs-F90#28) (1) 123
- Walter, H. F., see Rohde, E. (abs-S91#12) (4) 669
- Wampler, Wesley A., see Hjelm, Rex P., Jr. (abs-S91#5) (4) 668

- Wang, D. S. T., see Payne, M. T. (abs-F90#34) (1) 124
- Wang, H.-C. and Powers, K. W., Functionalized *para*-methylstyrene/isobutylene copolymers (abs-S91#80) (4) 680
- Wang, Meng-Jiao and Wolff, Siegfried, Filler-elastomer interactions. Part I: Silica surface energies and interactions with model compounds (4) 559
- Wang, Meng-Jiao, Wolff, Siegfried, and Donnet, Jean-Baptiste, Filler-elastomer interactions. Part III. Carbon-black-surface energies and interactions with elastomer analogs (5) 714
- Wang, Shuhong, Xu, Ping, and Mark, James E., Shear and biaxial extension measurements of reinforcement from *in-situ* precipitated silica (5) 746
- Ward, Brian J. and Jeram, Edward M., New liquid silicone rubber gasketing materials (abs-S91#50) (4) 675
- Warley, Russell L., Reproducibility of the heat of reaction of elastomers by DSC (abs-F90#50) (1) 126
- Warren, Patrick A., Mowrey, Douglas H., and Gervase, Nicholas J., Adhesives for bonding cathodically protected rubber to metal devices (abs-F90#31) (1) 123
- Watanabe, Hirosuke and Takata, Tadahiko, An experimental study on fatigue mechanism: Fatigue of poly(ethylene terephthalate) cords in rubber compounds (abs-F90#60) (1) 128
- Watanabe, J., see Sawada, M. (abs-S91#66) (4) 678
- Weil, David A., see Waddell, Walter H. (4) 622
- Weissert, Fred, A modeling of the effects of filler type and loading on the physical properties of rubber compounds (abs-S91#31) (4) 673
- Welchel, Wayne C., see Moore, Ralph (abs-S91#67) (4) 678
- Wheeler, Don D., see Xue, Gi (2) 162, 172
- Willoughby, L., see Wagener, K. B. (1) 83
- Wilson, G. J., Halobutyl in tread compounds (abs-S91#55) (4) 676
- Winkler, E. M., see de Jong, M. C. (5) 737
- Wolff, Siegfried, see Wang, Meng-Jiao (4) 559, (5) 714
- Wong, H. H., Francis, A. E., and Huether, R. R., Assessing the quality of a product with the loss function (abs-F90#2) (1) 118
- Wong, H. H., Huether, R. H., Korosec, C. M., and Tan, E. H., In quest of precision (abs-S91#25) (4) 671
- Wong, H. H., Korosec, C. M., and Francis, A. E., The uncertainty in the measurement of Cpk (abs-F90#1) (1) 118
- Xu, Ping, see Wang, Shuhong (5) 746
- Xue, Gi, Koenig, Jack, Ishida, Hatsuo, and Wheeler, Don D., Chemical reactions of an epoxy-functional silane in aqueous solutions (2) 162
- Xue, Gi, Koenig, Jack, Ishida, Hatsuo, and Wheeler, Don D., Chemical reactions of resorcinol-formaldehyde latex and coupling agent (2) 172
- Yamada, T., Okumoto, T., Ohtani, H., and Tsuge, S., Characterization of vulcanized EPDM rubbers by high-resolution pyrolysis gas chromatography (5) 708
- Yang, Henry H., see Gerspacher, Michel (abs-F90#25) (1) 122
- Yin, Jian, see Quirk, Roderic P. (4) 648
- Yoshida, H., see Sawada, M. (abs-S91#66) (4) 678
- Young, D. G., see Flowers, D. D. (abs-S91#81) (4) 680
- Young, D. G., see Fusco, J. V. (abs-F90#8) (1) 120
- Zhu, Lin-Fang, see Quirk, Roderic P. (4) 648

SUBJECT INDEX*

- Abrasion resistance, of tire treads made from halobutyl rubber blends (abs-S91#55) (4) 675
- Accelerator, without nitrogen, to solve the nitrosamine problem in rubber industry (abs-F90#78) (1) 132
- Acoustics, underwater, using chlorosulfonated PE composition (abs-F90#68) (1) 129
- Acyclic diene metathesis, for producing elastomers at room temperature (1) 83
- Adhesion, of elastomers, improving with liquid BR-based resins (abs-F90#55) (1) 127
- Adhesion, of hydrogenated NBR and fibers, improving with hydrogenated NBR latex (1) 8
- Adhesion, of Kevlar aramid to rubber, mechanical aspects (abs-F90#39) (1) 125
- Adhesion, of rubber to brass using cobalt and HR bonding agents (2) 285
- Adhesion, of vulcanized SBR, effect of surface modification (4) 510
- Adhesion, relation of interfacial bonding and wetting to (abs-F90#37) (1) 125
- Adhesion promotion, using maleated liquid polybutadiene resins in rubber compounds (abs-S91#48) (4) 675
- Adhesive, developed *in situ* for bonding resin to cured rubber (abs-F90#32) (1) 123
- Adhesive bonds, durability in severe environments (4) 545
- Adhesives, for bonding to cathodically protected metals (abs-F90#31) (1) 123
- Adhesives, utilizing powdered rubbers (abs-S91#89) (4) 682
- Adhesives, wire-to-rubber, with chlorotriazines as promoters (abs-S91#91) (4) 682
- Alloys, elastomeric, morphology (5) 769
- Anionic polymerization, of thermoplastic elastomers (review) (3) 450
- Anisotropy, of ultimate properties in vulcanizates of EPDM/high-diene-rubber blends (5) 801
- Apertures, bulging of rubber through (5) 813
- Aramid fiber pulp, masterbatched with CR, for unique engineering properties (abs-F90#72) (1) 130
- Aramid fibers, dispersion in rubber (abs-S91#32) (4) 673
- Aramid-cord load, numerical prediction using Goodrich Block Fatigue Test (5) 737
- Aramids, mechanical aspects of bonding to rubber (abs-F90#39) (1) 125
- Aspect ratio, influence on rolling resistance of tires (4) 641
- Automotive blow-molded parts, from flexible nylon alloys (abs-F90#23) (1) 122
- BIIR and CIIR, in blends for tire treads, improving abrasion (abs-S91#55) (4) 675
- BIIR, blend with BR, for low-temperature shock and vibration control (abs-S91#85) (4) 681
- BIIR, with broad molecular-weight distribution, rheological and processing characteristics (abs-S91#84) (4) 681
- BIIR, with minimum or no oil, for improved tire innerliners (abs-S91#86) (4) 681
- Blend modelling, for optimum compound performance (abs-S91#53) (4) 675
- Blends, of BR and BIIR, for low-temperature shock and vibration control (abs-S91#85) (4) 681
- Blends, of BR/NR, resolving properties of individual phases (2) 234
- Blends, of energetic PMVT with nonenergetic PEG (abs-F90#18) (1) 122
- Blends, of EPDM and high-diene rubber, anisotropy of ultimate properties (5) 1
- Blends, of thermoplastic elastomers (review) (3) 469
- Blow-molding, of melt-processible rubber (abs-F90#57) (1) 127
- Blown film, TPE, processing and properties (abs-F90#56) (1) 127
- Bond failure, between rubber and metal, investigating by surface analysis methods (2) 243
- Book Review: "Analysis and Performance of Fiber Composites," 2nd ed., B. D. Agarwal, L. J. Broutman (4) G83
- Book Review: "Plastic Additives," 3rd ed., R. Gachter and H. Mueller (2) G25
- Book Review: "The ICI Polyurethane Book," 2nd ed. (2) G25
- Book Review: "Introduction to Nonlinear Optical Effects in Molecules and Polymers," Prasad & Williams (3) G65
- BR, blend with BIIR, for low-temperature shock and vibration control (abs-S91#85) (4) 681
- BR, liquid, in resins for improved elastomer bonding (abs-F90#55) (1) 127
- BR, sulfur-donor-vulcanized, studying crosslink density dispersion with NMR imaging (abs-S91#11) (4) 669
- Brandau, Albert J., biog. sketch (1) G2
- Breakers, NR, with chlorotriazines to promote adhesion (abs-S91#91) (4) 682
- Brominated isobutylene/*p*-methylstyrene copolymer, for tire black sidewalls (abs-S91#81) (4) 680
- Bromination, of blends of low- and high-molecular weight IIR (abs-S91#84) (4) 681
- Bromination, of low- and high-molecular weight blends of IIR (abs-S91#83) (4) 680
- Bulging, of rubber through apertures (5) 813

* Prepared by Lois W. Brock.

- Cable jackets, low-smoke, noncorrosive, from HNBR and EVM (abs-F90#76) (1) 130
- Carbon black, high-structure, for tread (abs-F90#9) (1) 121
- Carbon black, interaction with elastomers, measuring with static SIMS (1) 19
- Carbon black, role in rubber compounds (abs-F90#25) (1) 122
- Carbon-black-elastomer composites, studying microstructure with neutron scattering (abs-S91#5) (4) 668
- Carbon-black loading, effect on heat-build-up of elastomers (2) 269
- Carbon-black-loaded blends, of BR/NR, resolving properties of individual phases (2) 234
- Cathodic protection, effect on rubber-to-metal adhesion (abs-F90#31) (1) 123
- Cationic polymerization, of thermoplastic elastomers (review) (3) 450
- Chlorinated surface, of cured rubber, as base for rubber-resin adhesive (abs-F90#32) (1) 123
- Chromatography, gas, high-resolution pyrolysis, for characterizing EPDM (5) 708
- Cobalt bonding agents, for brass/rubber adhesion (2) 285
- Collagen-fiber and rubber blends, in rubber for studless winter tires (abs-F90#74) (1) 130
- Composites, of cured rubber and synthetic resin, using adhesive developed *in situ* (abs-F90#32) (1) 123
- Conductivity, electrical, in double rubber networks (5) 790
- Contact pressure, of rubber wedge against glass (1) 108
- Coordination catalysts, for thermoplastic elastomers (review) (3) 450
- Coran, Aubert Y., recipient of Chemistry of Thermoplastic Elastomers Award, 1991 (3) G53
- Cost-effective solutions, to problems in rubber and automotive industries (abs-S91#34) (4) 673
- Cpk, uncertainty in measurement (abs-F90#1) (1) 118
- CR, masterbatch with aramid fiber pulp, for unique engineering properties (abs-F90#72) (1) 130
- Crack growth, of SBR vulcanizates, effect of temperature and oxygen (1) 96
- Crosslink density, in carbon-black-loaded elastomers, effect on heat build-up (2) 269
- Crosslink density dispersion, of BR, studying with NMR imaging (abs-S91#11) (4) 669
- Crosslink type, in SBR vulcanizates, effect on strength of elastomers (1) 96
- Crystallization, thermal, of polytetrahydrofuran networks (1) 74
- CTAB test, for improved carbon-black quality control (abs-S91#30) (4) 672
- Curative migration, between phases of elastomer blends during curing (2) 234
- Cure stages in injection molding of rubber, simulation (2) 296
- Curemeters, correlating results from different models (abs-S91#27) (4) 672
- Curing, of HNBR, effect of press-cure and postcure time (abs-S91#12) (4) 669
- Deformation index, for studying hysteretic energy-loss process (1) 57
- Deformation, effect of different types on structural changes in rubber vulcanizate (abs-F90#62) (1) 128
- Design methods, for tires (abs-F90#7) (1) 120
- Diapol WMB (wet SBR/carbon-black masterbatch), for tire tread application (abs-S91#57) (4) 675
- Diffusing materials, examination on rubber surfaces by photoacoustic infrared (4) 610
- Digital control, for dynamic modulus measurement (abs-S91#26) (4) 671
- Dispersion, influence of mixing and compounding (review) (3) 386
- Dispersions, characterization (review) (3) 386
- Double networks, of rubber, electrical conductivity (5) 790
- Drifting, of postcured FKM vulcanizates; role of water interaction (abs-S91#16) (4) 670
- DSC, for determining heat of reaction of elastomers, reproducibility of (abs-F90#50) (1) 126
- DVA (dynamically vulcanized alloys), of thermoplastic elastomers (abs-F90#35) (1) 124
- Dynamic viscoelastic properties, predicting through deformation index (1) 57
- Dynamically vulcanized blends (review) (3) 469
- Elastomer properties, influence of dispersion (review) (3) 386
- Elastomers, without backbone unsaturation, from *p*-methylstyrene and isobutylene (abs-S91#80) (4) 680
- Electrical conductivity, in rubber double networks (5) 790
- Energy dissipation, importance in fracture of vulcanizates (review) (3) 493
- Energy loss, for defining dynamic viscoelastic properties of tire materials (1) 57
- ENR (epoxidized natural rubber), basis for oil-resistant thermoplastic elastomer (abs-F90#33) (1) 124
- EPDM, blends with high-diene rubber, anisotropy of ultimate properties (5) 81
- EPDM, characterized by high-resolution pyrolysis gas chromatography (5) 708
- EPDM, liquid, effect of variables on mechanical properties (abs-S91#49) (4) 675
- EPM, soluble TiCl_3 catalyst for copolymerization (1) 1
- Equation, for relation of tire aspect ratio to rolling resistance (4) 641
- ESCA, avoiding errors when using for rubbers and plastics containing mobile components (abs-S91#23) (4) 670
- EVM (vinylacetate/ethylene copolymers), and HNBR in fire-retardant cable jackets (abs-F90#76) (1) 130
- Extraction of hydrolytic stabilizers from polyester urethane coatings, effects of (abs-F90#46) (1) 126
- Factorial-designed study, of latex viscosity (abs-S91#74) (4) 679

- Fatigue, of poly(ethylene terephthalate) cords in rubber composites (abs-F90#60) (1) 128
- Fatigue, of silicone rubber, improving by use of dispersed silica (abs-F90#61) (1) 128
- Filler, type and loading, effects on properties of rubber (abs-S91#31) (4) 673
- Filler-rubber interaction, effect of silica surface energies (4) 559
- Filler-rubber interaction, in carbon-black-filled elastomers (5) 714
- Fillers, effect on heat generation in elastomer compounds (review) (3) 481
- Fillers, magnesium-based, for flame retardance and smoke suppression (abs-F90#67) (1) 129
- Finite-element analysis, nonlinear, of hardness in rubberlike materials (2) 181
- Fire-retardant noncorrosive cable jackets, from HNBR and EVM (abs-F90#76) (1) 130
- FKM vulcanizates, role of water interaction in drifting of properties (abs-S91#16) (4) 670
- Flame retarders, magnesium-based (abs-F90#67) (1) 129
- Flaws, in rubber compounds, microanalysis (abs-S91#24) (4) 671
- Flow, during injection molding of rubber, modelling (2) 296
- Fluoroplastic additives, for reinforcement of elastomers (abs-F90#75) (1) 130
- Fluorosilicone/dimethylsilicone copolymers, properties (abs-S91#66) (4) 678
- Fracture energy, of SBR vulcanizates, effect of temperature and oxygen (1) 96
- Fracture mechanics, with three test geometries (review) (3) 493
- Fracture, of vulcanizates, studying by energy balance (review) (3) 493
- Freezing and melting, of solvent crystals in swollen gels of NR (5) 760
- Friction, of rubber wedge sliding against glass (1) 108
- FTIR, photoacoustic, for examining diffusing materials on rubber surfaces (4) 610
- Functionalization reactions, to prepare polymers labelled with specific end groups (4) 648
- Functionalized polymers, from *p*-methylstyrene and isobutylene (abs-S91#80) (4) 680
- Gamma-glycidioxypropyltrimethoxysilane, coupling agent in polyester tire cord adhesion (2) 172
- Gaskets, of liquid silicone rubber (abs-S91#50) (4) 675
- Gels, frozen NR, anomalous freezing and melting of solvent crystals in (5) 760
- Global markets, effect on international trade (abs-S91#37) (4) 674
- Global markets, for automotive and rubber products (abs-S91#34) (4) 673
- Global markets, for synthetic rubber, survival in dealing with (abs-S91#35) (4) 674
- Global markets, managing for (abs-S91#36) (4) 674
- Global markets, competing and winning in (abs-S91#33) (4) 673
- Goodrich Block Fatigue Test, numerical prediction of aramid-cord load in (5) 737
- Goodyear Medal Address, 1991 (3) G56
- Gordon Research Conference on Elastomers, July 8-12, 1991, Program (2) G31
- Gordon Research Conference on High-Performance Thermosetting Polymers, July 1-5, 1991, Program (2) G33
- Group transfer polymerization (GTP), for methacrylate star synthesis (2) 139
- Hardness test, of rubberlike materials, nonlinear elastic analysis of (2) 181
- Heat build-up, in carbon-black-loaded elastomers, effect of loading and crosslinks (2) 269
- Heat generation, in elastomers (review) (3) 481
- Heat of reaction, of elastomers, reproducibility in determination by DSC (abs-F90#50) (1) 126
- HNBR (hydrogenated NBR), influence of unsaturation level on behavior (abs-F90#64) (1) 129
- HNBR (hydrogenated NBR), low-temperature properties (4) 534
- HNBR (hydrogenated NBR), performance under various dynamic stresses (abs-F90#64) (1) 129
- HNBR elastomers, press-cure and postcure time effect (abs-S91#12) (4) 669
- HNBR (hydrogenated NBR), and EVM (vinylacetate/ethylene copolymer) in cable jackets (abs-F90#76) (1) 130
- Hose, from flexible nylon alloys (abs-F90#23) (1) 122
- HPLC, for determining chemical composition distribution in copolymers (review) (3) 325
- HR bonding agents, combined with cobalt agents for rubber/brass adhesion (2) 285
- Hydrolytic deterioration, of polyurethane coatings on fabric-reinforced elastomers (abs-F90#46) (1) 126
- Hysteretic energy loss, studying through deformation index (1) 57
- IIR, accelerated sulfur-vulcanized, studying with solid-state ^{13}C NMR (1) 40
- IIR, as dispersed phase in DVAs, properties (abs-F90#35) (1) 124
- IIR, low-molecular-weight, by peptization of high-molecular-weight dry IIR and compressed air (abs-S91#82) (4) 680
- IIR, NMR imaging study of vulcanized (4) 635
- IIR, role of phenolic tackifiers at low level (1) 65
- India, as an emerging market for TPEs (abs-F90#81) (1) 132
- Injection-molded parts, from flexible nylon alloys (abs-F90#23) (1) 122
- Injection molding, development of temperature in rubber during (abs-F90#4) (1) 119
- Injection molding, of elastomers, simulation (2) 296
- International business, factors affecting (abs-S91#37) (4) 674
- International Rubber Science Hall of Fame, 1990, Georgii Vladimirovich Vinogradov (2) G27
- Inverse gas chromatography, for studying silica surface energies (4) 559
- Iodine number test, for carbon-black quality control (abs-S91#30) (4) 672

- Isobutylene-based polymers, for tires (abs-F90#8) (1) 120
- ISS/SIMS, for surface analysis of rubber/metal bond failures (2) 243
- Labelled polymers, made by anionic synthesis of functionalized polymers (4) 648
- Latex, improving compound stability with potassium soaps (abs-S91#71) (4) 679
- LDMS (Laser desorption mass spectrometry), for studying rubber-compound surfaces (4) 622
- Life-prediction methods, for characterizing adhesive bonds in severe environments (4) 545
- Liquid elastomers (abs-S91#47) (4) 675
- Liquid EPDM compounds, effect of variables on mechanical properties (abs-S91#49) (4) 675
- Liquid silicone rubber, for gaskets (abs-S91#50) (4) 675
- Liquid urethane polymers (abs-S91#51) (4) 675
- Loss function, for assessing product quality (abs-F90#2) (1) 118
- Low-temperature properties, of HNBR (4) 534
- Low-temperature shock and vibration control, by use of BR/BIIR blends (abs-S91#85) (4) 681
- Magnesium-based fillers, for flame retardance and smoke suppression (abs-F90#67) (1) 129
- Maleated liquid polybutadiene resin, in rubber for adhesion promotion (abs-S91#48) (4) 675
- Managing, for global marketing (abs-S91#36) (4) 674
- Managing, for global markets (abs-S91#33) (4) 673
- Managing, for global markets (abs-S91#34) (4) 673
- Managing, for global markets (abs-S91#35) (4) 674
- Mark, James E., recipient of George Stafford Whitby Award, 1991 (3) G50
- Mechanical goods, utilizing powdered rubbers (abs-S91#89) (4) 682
- Melt-processible rubber, blow molding (abs-F90#57) (1) 127
- Metathesis polycondensation, for room-temperature production of elastomers (1) 83
- Microanalysis, of flaws in rubber compounds (abs-S91#24) (4) 671
- Microscopy techniques, for determining polymer domain structure of TPEs (abs-F90#41) (1) 126
- Microstructure, of composite materials (abs-S91#5) (4) 668
- Microstructures, of cured IR, studying with NMR imaging (4) 635
- Microwave vulcanizing systems, for sponge rubber (abs-F90#3) (1) 119
- Mixing system, continuous, for powdered rubber (abs-S91#88) (4) 681
- Mobile components, as source of errors in ESCA of compounded rubbers and plastics (abs-S91#23) (4) 670
- Model, for tire wear (5) 683
- Modelling, for optimum performance of blends (abs-S91#53) (4) 675
- Modelling, of coupling in carbon-black-loaded BR/ NR (2) 234
- Modelling, of effects of filler type and loading on properties of rubber (abs-S91#31) (4) 673
- Modulus, dynamic, using digital controls (abs-S91#26) (4) 671
- Mold-release agent, semipermanent water-based (abs-F90#77) (1) 130
- Mooney viscosity, measuring without mill massing (abs-F90#5) (1) 119
- Morphology requirements, in thermoplastic elastomer blends (review) (3) 469
- Morphology, of elastomeric alloys (5) 769
- N,N'*-di-(1,1-dimethylethyl)-*p*-phenylenediamine, ozonation (5) 780
- N,N'*-di-*n*-octyl-*p*-phenylenediamine, ozonation (5) 780
- Natural latex, quality management (abs-S91#61) (4) 677
- Natural latex, processes and dynamics (abs-S91#59) (4) 677
- NBR, hydrogenated, improving adhesion with fibers with hydrogenated NBR latex (1) 8
- NBR, thermoplastic elastomers in a range of hardness from PVC and (abs-F90#36) (1) 125
- NBR latex, hydrogenated, for improving adhesion of hydrogenated NBR and fibers (1) 8
- Near-infrared analysis, of resorcinol-formaldehyde latex (abs-S91#10) (4) 669
- Neoprene latex, compounding and processing (abs-S91#62) (4) 677
- Network structure, in NR vulcanizates, correlation with vulcanizate properties (abs-S91#77) (4) 679
- Network structure of polytetrahydrofuran, as it influences thermal crystallization (1) 74
- Network topology, in unfilled NR (abs-S91#1) (4) 668
- Nitrosamines, in the rubber industry, from nitrogen-containing precursors (abs-F90#78) (1) 132
- NMR imaging, for observing crosslink density dispersion of sulfur-vulcanized BR (abs-S91#11) (4) 669
- NMR imaging, of vulcanized IIR (4) 635
- NMR, ¹³C, for characterization of cured rubber (review) (3) 325
- NMR, ¹³C, for studying accelerated sulfur-vulcanized IIR (1) 40
- NMR, pulsed, for studying motional heterogeneity in NBR/PVC blends (4) 522
- NR, unfilled, network topology and nonaffine deformation (abs-S91#1) (4) 668
- NR vulcanizates, correlation of network structure and vulcanizate properties (abs-S91#77) (4) 679
- Nylon, flexible alloys based on grafting technology (abs-F90#23) (1) 122
- Organolithium compounds, addition reactions with 1,1-diphenylethylenes (4) 648
- Ozonation, of *N,N'*-di-*n*-octyl-*p*-phenylenediamine and *N,N'*-di-(1,1-dimethylethyl)-*p*-phenylenediamine (5) 780
- Para*-methylstyrene, functionalized copolymer with isobutylene (abs-S91#80) (4) 680

- Para*-methylstyrene/brominated isobutylene copolymer, for tire black sidewalls (abs-S91#81) (4) 680
- Patel, Raman R., recipient of Chemistry of Thermoplastic Elastomers Award, 1991 (3) G53
- PE, chlorosulfonated, for underwater acoustics (abs-F90#68) (1) 129
- PEG (polyethylene glycol), blended with PMVT (abs-F90#18) (1) 122
- Peptization, of high-molecular-weight IIR to give low-molecular-weight IIR (abs-S91#82) (4) 680
- Phenolic tackifier (*p*-*tert*-octyl phenolic resin), in IIR (1) 65
- PMVT [poly(2-methyl-5-vinyl tetrazole)], blended with PEG (abs-F90#18) (1) 122
- Poly(ethylene terephthalate) cords, mechanism of fatigue in rubber composites (abs-F90#60) (1) 128
- Polyester urethane coatings, extracting hydrolytic stabilizers from (abs-F90#46) (1) 126
- Polyether elastomers, past and future (review) (3) G56
- Polysoprenes, natural, structural characterization (review) (3) 325
- Polymer networks, highly filled, highly plasticized, semicrystalline (2) 181
- Polytetrahydrofuran, thermal crystallization of networks (1) 74
- Polyurethanes, liquid (abs-S91#51) (4) 675
- Postcure, of HNBR, to reduce press-cure time (abs-S91#12) (4) 669
- Potassium soaps, for improving latex compound stability (abs-S91#71) (4) 679
- Powdered rubber, for a continuous mixing system (abs-S91#88) (4) 681
- Powdered rubbers, for alloys, mechanical goods, and adhesives (abs-S91#89) (4) 682
- Precipitated silica, new, for reinforcing silicone rubber of high strength (abs-F90#28) (1) 123
- Precision, to satisfy quality requirements (abs-S91#25) (4) 671
- Product safety, trends for tire technology in the 1990's (abs-F90#14) (1) 121
- PVC, thermoplastic elastomers in a range of hardness from NBR and (abs-F90#36) (1) 125
- Pyrolysis gas chromatography (PyGC), for characterizing EPDM (5) 708
- Quality management, in latex laboratory (abs-S91#61) (4) 677
- Quality, assessing with loss function (abs-F90#2) (1) 118
- Quality, uncertainty of Cpk in measuring (abs-F90#1) (1) 118
- Radical polymerization, of thermoplastic elastomers (review) (3) 450
- Recycled materials, from and for tires (abs-F90#15) (1) 122
- Recycling, of vulcanized elastomers through acyclic diene metathesis (1) 83
- Redox polymerization, reflections on (Charles Goodyear Medal Address) (3) G56
- Reinforcement, of elastomers, with fluoroplastic additives (abs-F90#75) (1) 130
- Resistivity, analysis in uncured rubber (4) 501
- Resorcinol-formaldehyde latex, amount on fabric by near-infrared analysis (abs-S91#10) (4) 669
- Resorcinol-formaldehyde latex, mechanical aspects of use in aramid/rubber bonding (abs-F90#39) (1) 125
- Resorcinol-formaldehyde latex, reactions with coupling agents (2) 172
- Rheometer, MDR20, for testing special compounds (abs-S91#28) (4) 672
- Roland, C. Michael, recipient of Sparks-Thomas Award, 1991 (3) G52
- Rollers, using thermoplastic elastomer alloys (abs-F90#58) (1) 127
- Rolling resistance, of tires, effect of aspect ratio (4) 641
- Rubber Division, ACS, Best Paper Awards, Spring 1990 (1) G13
- Rubber Division, ACS, Charles Goodyear Medalist—1991, Edwin J. Vandenberg, Biography by Charles C. Price (3) G54
- Rubber Division, ACS, Chemistry of Thermoplastic Elastomers Award, 1991 to A. Y. Coran and R. P. Patel (3) G53
- Rubber Division, ACS, George Stafford Whitby Award, 1991 to James E. Mark (3) G50
- Rubber Division, ACS, Guide for Authors (3) G43
- Rubber Division, ACS, Information in previous issues (1) G11
- Rubber Division, ACS, Library and Information Services (1) G14
- Rubber Division, ACS, Melvin Mooney Distinguished Technology Award, 1991, to C. S. Schollenberger (3) G51
- Rubber Division, ACS, Officers and Administration, 1991, (1) G1
- Rubber Division, ACS, Policy on technical papers at Rubber Division meetings (1) G16
- Rubber Division, ACS, Program for 1991 Fall Meeting (4) G71
- Rubber Division, ACS, Program for 1991 Spring Meeting (1) G3
- Rubber Division, ACS, Sparks-Thomas Award, 1991, to C. Michael Roland (3) G52
- Rubber-rubber composites, analysis of nonlinear stress-strain relationship of large elastic deformations (5) 696
- Rubber/plastic alloys, from powdered rubbers (abs-S91#89) (4) 682
- SBR, effect of surface modification on adhesion (4) 510
- Schollenberger, Charles S., recipient of Melvin Mooney Distinguished Technology Award, 1991 (3) G51
- Seals, of Fluorosilicone/dimethylsilicone copolymer (abs-S91#66) (4) 678
- SEM/EDS, for analysis of rubber/metal bond failures (2) 243
- Sequence distribution, in styrene-butadiene copolymer (review) (3) 325
- Silane coupling agents, for improved tire-cord adhesion, reactions in solution (2) 162

- Silane coupling agents, reaction with resorcinol-formaldehyde (2) 172
- Silanes, epoxy-functional, chemical reactions in aqueous solutions (2) 162
- Silica, dispersed, for improved fatigue properties in silicone rubber (abs-F90#61) (1) 128
- Silica, effect of surface energies of filler-elastomer interactions (4) 559
- Silica, precipitated, for reinforcing silicone rubber and specialty elastomers (abs-F90#27) (1) 122
- Silica, precipitated *in-situ*, effect on shear and biaxial extension measurements (5) 746
- Silicone rubber, dispersion of silica for improved fatigue properties (abs-F90#61) (1) 128
- Silicone rubber, liquid, for gaskets (abs-S91#50) (4) 675
- Silicone rubber, liquid, injection molding kinetics (2) 218
- Silicone rubber, reinforcement with precipitated silica (abs-F90#27) (1) 122
- Silicone rubber, reinforcing to high strength with new precipitated silica (abs-F90#28) (1) 123
- SIMS spectra, static, for measuring interaction of carbon black and elastomers (1) 19
- Simulation, of cavity filling and curing, during injection molding of rubber (2) 296
- Small-angle neutron scattering, for studying microstructure of composite materials (abs-S91#5) (4) 668
- Smoke suppressors, magnesium-based (abs-F90#67) (1) 129
- Solid rocket propellants, highly plasticized, highly filled, semicrystalline (2) 181
- Solubilization, of titanium chloride catalysts for EPM copolymerization (1) 1
- Solvent crystals, anomalous freezing and melting in swollen gels of NR (5) 760
- Spectroscopy, photoacoustic ir, for examining diffusing material on rubber surface (4) 610
- Sponge rubber, microwave vulcanizing systems for (abs-F90#3) (1) 119
- Star polymers, methacrylate, made by group transfer polymerization (2) 139
- Strain measurement, in studying role of carbon black in rubber (abs-F90#25) (1) 122
- Strain-to-failure behavior, in solid rocket propellants (2) 181
- Stress-strain relationship, nonlinear, of elastic deformations in rubber (5) 696
- Structural changes, in vulcanizates, effect of different types of deformation (abs-F90#62) (1) 128
- Structural characterization, of elastomers (review) (3) 325
- Surface analysis, of rubber/metal bond failures (2) 243
- Surface area, of carbon black, improved tests for (abs-S91#30) (4) 672
- Surface characterization, of carbon black, evaluation of methods (1) 19
- Surface cracks, in elastomers, effect on torsional damping (4) 661
- Surface modification, effect on adhesion of vulcanized SBR (4) 510
- Surfaces, rubber, examining diffusing materials on by photoacoustic ir spectroscopy (4) 610
- Surfaces, rubber, studied by laser desorption mass spectrometry (4) 622
- Tackifiers, phenolic, mechanism of action in IIR (1) 65
- Tank track pads, wear under various conditions (abs-F90#63) (1) 129
- Tear strength, of SBR vulcanizates, effect of temperature and oxygen (1) 96
- Temperature, measuring during injection molding of rubber (abs-F90#4) (1) 119
- Termination step, in star-polymer formation, methods to minimize (2) 139
- Thermoplastic elastomer, poly(methyl methacrylate)/poly(butyl vinyl ether) block (4) 601
- Thermoplastic elastomer alloys, for rubber rollers (abs-F90#58) (1) 127
- Thermoplastic elastomer alloys, of greatly improved properties (abs-F90#34) (1) 124
- Thermoplastic elastomers, blends (review) (3) 469
- Thermoplastic elastomers, from *p*-phenylene diisocyanate (abs-S91#67) (4) 678
- Thermoplastic elastomers, recent advances (review) (3) 450
- Tire liners, from IIR requiring minimum or no oil (abs-S91#86) (4) 681
- Tire sidewalls, black, from brominated isobutylene/*p*-methylstyrene copolymer (abs-S91#81) (4) 680
- Tire technology and product safety, trends for the 1990's (abs-F90#14) (1) 121
- Tire tread compounds, modelling for optimum performance (abs-S91#53) (4) 675
- Tire treads, containing halobutyl rubber, improving abrasion resistance (abs-S91#55) (4) 675
- Tire treads, from SBR/carbon-black wet masterbatch (abs-S91#57) (4) 675
- Tire treads, with high-structure carbon black (abs-F90#9) (1) 121
- Tire wear, model (5) 683
- Tires, isobutylene-based polymers for (abs-F90#8) (1) 120
- Tires, methods for designing (abs-F90#7) (1) 120
- Tires, passenger and truck, trends (abs-F90#6) (1) 120
- Tires, predicting performance through deformation index (1) 57
- Tires, recycling (abs-F90#15) (1) 122
- Tires, studless winter, using rubber and collagen-fiber blend (abs-F90#74) (1) 130
- Titanium chloride catalysts, soluble, for copolymerizing ethylene and propylene (1) 1
- Torsional damping, of elastomers, effect of surface cracks (4) 661
- TPEs, blown film processing and properties (abs-F90#56) (1) 127
- TPEs, determining property domain through microscopy techniques (abs-F90#41) (1) 126
- TPEs, India as an emerging market for (abs-F90#81) (1) 132
- TPEs, new types in a range of hardness based on NBRs and PVC (abs-F90#36) (1) 125
- TPEs, processing characteristics (abs-F90#11) (1) 121

- TPEs, review of structures and physical properties (abs-F90#10) (1) 121
- TPEA (thermoplastic elastomer alloys), for performance in wide range of uses (abs-F90#34) (1) 124
- TPENR, thermoplastic elastomers from epoxidized NR (abs-F90#33) (1) 124
- Traction, of tread rubber, studying in laboratory (abs-S91#70) (4) 678
- Tread rubber, laboratory facility for studying (abs-S91#70) (4) 678
- Triblock copolymers, with poly(methyl methacrylate) terminal and poly(butyl vinyl ether) center (4) 601
- Vandenberg, Edwin J., Charles Goodyear Medalist—1991, biog. (3) G54
- Vinogradov, Georgii V., biog., International Rubber Science Hall of Fame, 1990 (2) G27
- Viscosity, of latex, full two-level factorial-designed study (abs-S91#74) (4) 679
- VMQ, fluorosilicone/dimethylsilicone copolymer, for seals (abs-S91#66) (4) 678
- Water interaction, role in drifting of FKM vulcanizate properties (abs-S91#16) (4) 670
- Wear, of tank track pads under various conditions (abs-F90#63) (1) 129
- Wear, of tread rubber, studying in laboratory (abs-S91#70) (4) 678
- Wetting, as related to interfacial bonding in adhesion (abs-F90#37) (1) 125
- Windshield wiper blades, factors affecting friction against glass (1) 108
- Wire, promoting adhesion to NR with chlorotriazine promoters (abs-S91#91) (4) 682
- XPS, for surface analysis of rubber/metal bond failures (2) 243
- Zinc dimethacrylate, as coagent for peroxide curing of EPDM and NBR (2) 152

